

# Non-Research Tips for Information Science Researchers (Summer 2024)

May 1, 2024

## **Week 4: Tables and plots**


<https://non-research-tips.github.io/2024>



Yusuke Matsui  
(UTokyo)

# Schedule

Date (2024)	Contents	Presented by
<del>Week 1, Apr 10</del>	<del>Introduction. Review of fundamental concepts</del>	<del>Yusuke, Koya, Yuki, Jun</del>
<del>Week 2, Apr 17</del>	<del>Equations and pseudo-codes</del>	<del>Yusuke Matsui</del>
<del>Week 3, Apr 24</del>	<del>Presentation</del>	<del>Koya Narumi</del>
Week 4, May 1	Tables and plots	Yusuke Matsui
Week 5, May 8	Figures	Koya Narumi
Week 6, May 22	Videos	Koya Narumi
Week 7, May 29	Invited Talk 1	Dr. Yoshiaki Bando (AIST)
Week 8, June 5	Invited Talk 2	Prof. Katie Seaborn (Tokyo Tech)
Week 9, June 12	GitHub in depth	Yusuke Matsui
Week 10, June 19	Automation of research and research dissemination (Web, Cloud, CI/CD)	Jun Kato
Week 11, June 26	Research community	Jun Kato
Week 12, July 3	3DCG illustrations	Yuki Koyama
Week 13, July 10	Final presentations	-



Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115



Author

My current table appears unprofessional. I want to create a more visually appealing table...

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115



Author

My current table appears unprofessional. I want to create a more visually appealing table...

---

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

---



The table looks better! I often find this kinds of tables in top-conference papers.

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115



Author

My current table appears unprofessional. I want to create a more visually appealing table...

---

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

---



The table looks better! I often find this kinds of tables in top-conference papers.

Good job!  
Keep doing!



Reviewer 2

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115



Author

1. Structure your table.
2. Use the booktabs package.

---


Name	He	
LeBron James	206	113
Anthony Davis	208	115

---




Reviewer 2

The table looks better! I often find this kinds of tables in top-conference papers.




Author

Whenever I display data, I always use a bar graph, but I feel like it doesn't provide enough information.




Author

Whenever I display data, I always use a bar graph, but I feel like it doesn't provide enough information.




Box plots seem better! Now, I can see that DenseNet's scores are scattered.





Author

Whenever I display data, I always use a bar graph, but I feel like it doesn't provide enough information.




Box plots seem better! Now, I can see that DenseNet's scores are scattered.

Good job!  
Keep doing!




Reviewer 2



Author

Whenever I display data, I always use box plots because it doesn't look as good as a bar chart.

## Tips for good plots



Box plots seem better! Now, I can see that DenseNet's scores are scattered.

Good job!  
Keep doing!



Reviewer 2

# Reference

## booktabs

- S. Fear, "Publication quality tables in LaTeX", Official documentation for booktabs in CTAN, 2020. <http://mirrors.ctan.org/macros/latex/contrib/booktabs/booktabs.pdf>
- M. Püschel, "Small Guide to Making Nice Tables", <https://people.inf.ethz.ch/markusp/teaching/guides/guide-tables.pdf>  
Introduction of booktabs (I was inspired by this document.)

## Boxplot

- M. Streit and N. Gehlenborg, "Bar charts and box plots", Nature Methods, 2014. <https://www.nature.com/articles/nmeth.2807>

## The original document for this lecture

- 松井勇佑, "とにかくbooktabsを使おう", GitHub, 2022. [https://github.com/mti-lab/use\\_booktabs\\_anyway](https://github.com/mti-lab/use_booktabs_anyway)

とにかく booktabs を使おう

東京大学 情報理工学系研究科 講師 松井勇佑  
初版 2022年9月5日 / 最終更新 2023年1月23日

- 本資料のGitHubリポジトリ: [https://github.com/matsui528/use\\_booktabs\\_anyway](https://github.com/matsui528/use_booktabs_anyway)
- 著者のウェブページ: <http://yusukematsui.me>

### 1 はじめに

論文に表を記載する際、booktabs パッケージを使いましょう。booktabs は通常の TeX の表に対し適切な線の使用やスペースの配置を補助してくれるパッケージです。booktabs を使うだけで表がシュッと綺麗になります。それだけでなく、booktabs 流の表の作り方（行を基本とする思考、縦線を入れない、など）を考えていくと、論理的にわかりやすい表になります。以下の2つが基本的な文献です。

- 公式ドキュメント。細かいオプションなどは CTAN の公式ドキュメントを参照しましょう。
- Markus Püschel, "Small Guide to Making Nice Tables". 本資料と同じ立ち位置の、booktabs 紹介記事です。

本文章は上記文献と松井の経験則をベースにしています。間違いや、より良い方法もあると思います。提案やコメントやミスの指摘などには必ずお返しいたします。

I'd like to translate it into English, but I have no time... PR welcome!

# Powerpoint?

- The contents of today's lecture are for rendering tables by TeX.
- When you want to render tables in Powerpoint, you can imitate the TeX's one, like:

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

But I don't like this space...

||

- Or you can do it in other ways, like:

Example	Meaning
$a \in [2, 7]$	$2 \leq a \leq 7$ More informative than $a \in \mathbb{R}$
$a \in (2, 7)$	$2 < a < 7$
$a \in [2, 7)$	$2 \leq a < 7$
$a \in \{2, 7\}$	$a = 2$ or $a = 7$
$a \in \{2, \dots, 7\}$	If naturally interpreted, $a = 2$ or $a = 3$ or ... or $a = 7$ .

# Disclaimer

- The contents of today's lecture are based on Matsui's rule of thumb.
- Please consider the contents as guidelines and apply them to your field at your discretion.
- If you have better tips, please always let me know!
- I would like to offer you helpful tips and enhance the quality of your papers. (**All of you!**)

Masked Reviewer ID: Assigned_Reviewer_1	
Review:	
Question	
Please briefly describe the paper's contributions, and list its positive and negative points.	The authors start from a small (16 centroids local descriptor x by descending a tree wher to select the subtree. A posting list (aka inv +: an alternative to the hierarchical k-means -: bad method, flawed experiments)
Overall Rating	Definitely Reject

Can we systematically overcome the typical mistakes that beginners make?

I have been thinking about such a thing for more than a decade ...

The review for my first CVPR submission (2013)



## Tables

- Basics
- Row-oriented structure
- Row grouping
- Row hierarchization
- Column hierarchization
- Partial horizontal line  
(`cmidrule`)
- Column to row
- Flowchart

## Plots

- Basics
- Bar chart to box plot
- Control parameter
- Misc

## Tables

- **Basics**
- Row-oriented structure
- Row grouping
- Row hierarchization
- Column hierarchization
- Partial horizontal line  
(`cmidrule`)
- Column to row
- Flowchart


## Plots

- Basics
- Bar chart to box plot
- Control parameter
- Misc

# Basics

- Follow the 5 steps below.

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115



---

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

---

```
¥begin{tabular}{|c|c|c|} ¥hline
  Name & Height (cm) & Weight (kg) ¥¥ ¥hline
  LeBron James & 206 & 113 ¥¥ ¥hline
  Anthony Davis & 208 & 115 ¥¥ ¥hline
¥end{tabular}
```

```
¥usepackage{booktabs}
```


```
¥begin{tabular}{@{}l1l1@{}} ¥toprule
  Name & Height (cm) & Weight (kg) ¥¥ ¥midrule
  LeBron James & 206 & 113 ¥¥
  Anthony Davis & 208 & 115 ¥¥ ¥bottomrule
¥end{tabular}
```



# Basics

- Follow the 5 steps below.

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115



---

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

---

```
¥begin{tabular}{|c|c|c|} ¥hline
  Name & Height (cm) & Weight (kg) ¥¥ ¥hline
  LeBron James & 206 & 113 ¥¥ ¥hline
  Anthony Davis & 208 & 115 ¥¥ ¥hline
¥end{tabular}
```

Step 1: import the package.


```
¥usepackage{booktabs}
```

```
¥begin{tabular}{@{}l1l1@{}} ¥toprule
  Name & Height (cm) & Weight (kg) ¥¥ ¥midrule
  LeBron James & 206 & 113 ¥¥
  Anthony Davis & 208 & 115 ¥¥ ¥bottomrule
¥end{tabular}
```

## Step 2: Delete all vertical lines.

- i.e.,  $\{ |c|c|c| \} \rightarrow \{ ccc \}$
- If your table is well structured, you don't need vertical lines.
- If you think you need vertical lines, I recommend splitting the table into smaller ones

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115




---

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

---

```
\begin{tabular}{|c|c|c|} \hline  
Name & Height (cm) & Weight (kg) \\ \hline  
LeBron James & 206 & 113 \\ \hline  
Anthony Davis & 208 & 115 \\ \hline  
\end{tabular}
```




```
\usepackage{booktabs}  
  
\begin{tabular}{@{}l1l1@{}} \toprule  
Name & Height (cm) & Weight (kg) \\ \midrule  
LeBron James & 206 & 113 \\  
Anthony Davis & 208 & 115 \\ \bottomrule  
\end{tabular}
```

### Step 3: Align left.

- i.e., {ccc} → {lll}
- Left-align is beautiful (Remember “invisible lines” in Week 3!)
- If you have problems with left alignment, try right or center alignment.



Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115



---

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

---

```
\begin{tabular}{|c|c|c|} \hline  
Name & Height (cm) & Weight (kg) \\\ \hline  
LeBron James & 206 & 113 \\\ \hline  
Anthony Davis & 208 & 115 \\\ \hline  
\end{tabular}
```


```
\usepackage{booktabs}
```

```
\begin{tabular}{@{}lll@{}} \toprule  
Name & Height (cm) & Weight (kg) \\\ \midrule  
LeBron James & 206 & 113 \\\  
Anthony Davis & 208 & 115 \\\ \bottomrule  
\end{tabular}
```

# Basics

- Follow the 5 steps below.

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115



---

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

---

```
¥begin{tabular}{|c|c|c|} ¥hline  
Name & Height (cm) & Weight (kg) ¥¥ ¥hline
```

Step 4: Put a magical spacer symbols, “@{ }”

- i.e., {111} → {@{}111@{}}
- This eliminates excess spaces.
- Many papers forget this.

```
¥usepackage{booktabs}
```

```
¥begin{tabular}{@{}l@{}} ¥toprule  
Name & Height (cm) & Weight (kg) ¥¥ ¥midrule  
LeBron James & 206 & 113 ¥¥  
Anthony Davis & 208 & 115 ¥¥ ¥bottomrule  
¥end{tabular}
```

# Basics

w/o “@{ }”

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

w/ “@{ }”

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115



- Weird spaces... 🤔
- Remember “invisible lines” in Week 3!



No spaces. Beautiful! 😊

```
Anthony Davis & 208 & 115 ¥¥ ¥bottomrule  
¥end{tabular}
```


## Step 5: Use “top/mid/bottomrule”

➤ i.e.,

- ✓ The top `\hline` → `\toprule`
- ✓ The next `\hline` → `\midrule`
- ✓ The bottom `\hline` → `\bottomrule`
- ✓ Other `\hlines` → Delete!

➤ Well-structured tables require horizontal lines just a bit.

Anthony Davis	208	115
---------------	-----	-----



Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

```
|c|} \hline  
(m) & Weight (kg) \hline  
& 206 & 113 \hline  
Anthony Davis & 208 & 115 \hline  
}
```

↓

```
\usepackage{booktabs}  
  
\begin{tabular}{@{}l1l@{}} \toprule  
Name & Height (cm) & Weight (kg) \midrule  
LeBron James & 206 & 113 \\\br/>Anthony Davis & 208 & 115 \\\br/> \bottomrule  
\end{tabular}
```

# Basics


- Follow the 5 steps below.

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

```

\begin{tabular}{|c|c|c|}
\hline
Name & Height (cm) & Weight (kg) \\
\hline
LeBron James & 206 & 113 \\
\hline
Anthony Davis & 208 & 115 \\
\hline
\end{tabular}

```



Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

```


\toprule
\usepackage{booktabs}
\midrule
\begin{tabular}{@{}l|l|l@{}}
\toprule
Name & Height (cm) & Weight (kg) \\
\midrule
LeBron James & 206 & 113 \\
\midrule
Anthony Davis & 208 & 115 \\
\bottomrule
\end{tabular}

```

# Basics

- You can always apply these 5 steps, and your table will be much more beautiful! 😊

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115



---

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

---

```
\begin{tabular}{|c|c|c|} \hline
Name & Height (cm) & Weight (kg) \\\hline
LeBron James & 206 & 113 \\\hline
Anthony Davis & 208 & 115 \\\hline
\end{tabular}
```

```
\usepackage{booktabs}
```

```
\begin{tabular}{@{}l1l1@{}} \toprule
Name & Height (cm) & Weight (kg) \\\midrule
LeBron James & 206 & 113 \\\
Anthony Davis & 208 & 115 \\\bottomrule
\end{tabular}
```



## Tables

- Basics
- **Row-oriented structure**
- Row grouping
- Row hierarchization
- Column hierarchization
- Partial horizontal line  
(`cmidrule`)
- Column to row
- Flowchart

## Plots

- Basics
- Bar chart to box plot
- Control parameter
- Misc

# Row-oriented structure


- A table should be a **stack of rows**, i.e., **row-oriented**.
- The best structure: "header" + "row1" + "row2" + ...

Header	Name	Height (cm)	Weight (kg)
Row1	LeBron James	206	113
Row2	Anthony Davis	208	115

- Each row should be semantically same level
- i.e., instances (rows) of the same class (header)

- Each row should be semantically interchangeable.

Name	Height (cm)	Weight (kg)
Anthony Davis	208	115
LeBron James	206	113



- Usually, rows are sorted by some criteria.
- Yet, rows should be interchangeable.

# Row-oriented structure

- A table should be a **stack of rows**, i.e., **row-oriented**.
- The best structure: "header" + "row1" + "row2" + ...

Header	Name	Height (cm)	Weight (kg)
Row1	LeBron James	206	113
Row2	Anthony Davis	208	115

- Each row should be semantically same level
- i.e., instances (rows) of the same class (header)

- Each row should be semantically interchangeable.

Name	Height (cm)
Anthony Davis	208
LeBron James	206

```
class Person:
    def __init__(self, name, height, weight):
        self.name = name
        self.height = height
        self.weight = weight
```

```
row1 = Person('LeBron James', 206, 113)
row2 = Person('Anthony Davis', 208, 115)
```

interchangeable.

# Row-oriented structure

- For each column,
  - ✓ The header defines the type, i.e., "int".
  - ✓ Each row shows the value, i.e., "34".
- Seems obvious? But it's not easy to strictly follow this principal.

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115

# Row-oriented structure

- From S. Ren+, "Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks", TPAMI 2017 (30K+ citation paper)
- Object detection papers do not follow this principal (because #class is ~20 and can fit the paper, thus it's possible to write everything one line).
- One may restructure this table clearer as we'll show later, but it requires more spaces.
- Everything up to the situation!

Type

method	# box	data	mAP	areo	bike	bird	boat	bottle	bus	car	cat	chair	cow	table	dog	horse	mbike	person	plant	sheep	sofa	train	tv
SS	2000	07	66.9	74.5	78.3	69.2	53.2	36.6	77.3	78.2	82.0	40.7	72.7	67.9	79.6	79.2	73.0	69.0	30.1	65.4	70.2	75.8	65.8
SS	2000	07+12	70.0	77.0	78.1	69.3	59.4	38.3	81.6	78.6	86.7	42.8	78.8	68.9	84.7	82.0	76.6	69.9	31.8	70.1	74.8	80.4	70.4
RPN*	300	07	68.5	74.1	77.2	67.7	53.9	51.0	75.1	79.2	78.9	50.7	78.0	61.1	79.1	81.9	72.2	75.9	37.2	71.4	62.5	77.4	66.4
RPN	300	07	69.9	70.0	80.6	70.1	57.3	49.9	78.2	80.4	82.0	52.2	75.3	67.2	80.3	79.8	75.0	76.3	39.1	68.3	67.3	81.1	67.6
RPN	300	07+12	73.2	76.5	79.0	70.9	65.5	52.1	83.1	84.7	86.4	52.0	81.9	65.7	84.8	84.6	77.5	76.7	38.8	73.6	73.9	83.0	72.6
RPN	300	COCO+07+12	<u>78.8</u>	<u>84.3</u>	<u>82.0</u>	<u>77.7</u>	<u>68.9</u>	<u>65.7</u>	<u>88.1</u>	<u>88.4</u>	<u>88.9</u>	<u>63.6</u>	<u>86.3</u>	<u>70.8</u>	<u>85.9</u>	<u>87.6</u>	<u>80.1</u>	<u>82.3</u>	<u>53.6</u>	<u>80.4</u>	<u>75.8</u>	<u>86.6</u>	<u>78.9</u>

# Exceptional cases: e.g., average values

- There are several exceptions, such as a row of average values
- Such row is a special and cannot be swapped to other rows (usually placed at the bottom).

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115
D'Angelo Russell	193	88
Average	202	105.3

The last row is for "average".

Name	Height (cm)	Weight (kg)
LeBron James	206	113
Anthony Davis	208	115
D'Angelo Russell	193	88
Average	202	105.3

You can use `¥midrule` if you want.

- Creating tables: **Following the row-oriented structure as much as possible while aiming for the clearest presentation.**

## Tables

- Basics
- Row-oriented structure
- **Row grouping**
- Row hierarchization
- Column hierarchization
- Partial horizontal line  
(`cmidrule`)
- Column to row
- Flowchart

## Plots

- Basics
- Bar chart to box plot
- Control parameter
- Misc

# Row grouping

- You can group rows to improve the readability.

A good table. Rows are interchangeable.

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
XYZ	32	0.61	0.44
Ours	9	0.47	0.26
Ours	18	0.99	0.77

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
	32	0.61	0.44
Ours	9	0.47	0.26
	18	0.99	0.77

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
	32	0.61	0.44
Ours	9	0.47	0.26
	18	0.99	0.77

However, there are repetitive descriptions, which makes the table unnecessarily wordy. 🤔



# Row grouping

- You can group rows to improve the readability.

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
XYZ	32	0.61	0.44
Ours	9	0.47	0.26
Ours	18	0.99	0.77

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
	32	0.61	0.44
Ours	9	0.47	0.26
	18	0.99	0.77

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
	32	0.61	0.44
Ours	9	0.47	0.26
	18	0.99	0.77

- You can simply group some rows. 😊
- Delete unnecessary descriptions.

# Row grouping

- You can group rows to improve the readability.

➤ You can further draw a `\midrule`

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
XYZ	32	0.61	0.44
Ours	9	0.47	0.26
Ours	18	0.99	0.77

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
	32	0.61	0.44
Ours	9	0.47	0.26
	18	0.99	0.77

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
	32	0.61	0.44
Ours	9	0.47	0.26
	18	0.99	0.77

- You can combine rows if you want.
- `\multrow`

# Row grouping

```

XYZ & 16 & 0.32 & 0.21 & ¥¥
    & 32 & 0.61 & 0.44 & ¥¥
Ours & 9 & 0.47 & 0.26 & ¥¥
    & 18 & 0.99 & 0.77 & ¥¥
  
```

```

¥multirow{2}{*}{XYZ} & 16 & 0.32 & 0.21 & ¥¥
& 32 & 0.61 & 0.44 & ¥¥ ¥midrule
¥multirow{2}{*}{Ours} & 9 & 0.47 & 0.26 & ¥¥
& 18 & 0.99 & 0.77 & ¥¥ ¥bottomrule
  
```

¥bottomrule

You can further draw **drule**

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
XYZ	32	0.61	0.44
Ours	9	0.47	0.26
Ours	18	0.99	0.77

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
	32	0.61	0.44
Ours	9	0.47	0.26
	18	0.99	0.77

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
	32	0.61	0.44
Ours	9	0.47	0.26
	18	0.99	0.77

- You can combine rows if you want.
- ¥multirow

# Row grouping

- Many prefer the third one.
- Personally speaking, the second one is straightforward enough in many cases (simpler is better).
- Choose what you like!

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
XYZ	32	0.61	0.44
Ours	9	0.47	0.26
Ours	18	0.99	0.77

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
	32	0.61	0.44
Ours	9	0.47	0.26
	18	0.99	0.77

Method	$k$	Runtime (ms)	Accuracy
XYZ	16	0.32	0.21
	32	0.61	0.44
Ours	9	0.47	0.26
	18	0.99	0.77



# Multiple-level grouping

- You can group rows recursively.

---

Nearest Station	Store Name	Item	Price (JPY)
Hongo-Sanchome	Umite	Natsu-Ramen	700
		Maze Men X	850
	IBASA	Ramen	700
		Cold Ramen	650
Todai-mae	Yojinmen	Ramen	700
		Tsukemen	800

---

## Tables

- Basics
- Row-oriented structure
- Row grouping
- **Row hierarchization**
- Column hierarchization
- Partial horizontal line  
(`cmidrule`)
- Column to row
- Flowchart

## Plots

- Basics
- Bar chart to box plot
- Control parameter
- Misc

# Row hierarchization

- Row hierarchization = Deleting a row + Indentation
  - ✓ In other words, horizontally-long ↔ vertically-long
- Row hierarchization may make a table easier to read.

Item	Type	Price (¥)	Floor
Pork	Meat	300	2
Beef	Meat	500	2
Tomato	Vegetables	100	3
Corn	Vegetables	200	3
Cabbage	Vegetables	30	4

Item	Type	Price (¥)	Floor
Pork	Meat	300	2
Beef		500	2
Tomato	Vegetables	100	3
Corn		200	3
Cabbage		30	4

Item	Price (¥)	Floor
Meat		
Pork	300	2
Beef	500	2
Vegetables		
Tomato	100	3
Corn	200	3
Cabbage	30	4

A good table. Rows are interchangeable.

# Row hierarchization

- Row hierarchization = Deleting a row + Indentation
  - ✓ In other words, horizontally-long ↔ vertically-long
- Row hierarchization may make a table easier to read.

Item	Type	Price (¥)	Floor
Pork	Meat	300	2
Beef	Meat	500	2
Tomato	Vegetables	100	3
Corn	Vegetables	200	3
Cabbage	Vegetables	30	4

Item	Type	Price (¥)	Floor
Pork	Meat	300	2
Beef		500	2
Tomato	Vegetables	100	3
Corn		200	3
Cabbage		30	4

Item	Price (¥)	Floor
Meat		
Pork	300	2
Beef	500	2
Vegetables		
Tomato	100	3
Corn	200	3
Cabbage	30	4

Row grouping. Easier to read. Good.



# Row hierarchization

- Row hierarchization = Deleting a row + Indentation
  - ✓ In other words, horizontally-long ↔ vertically-long
- Row hierarchization may make a table easier to read.

Item	Type	Price (¥)	Floor
Pork	Meat	300	2
Beef	Meat	500	2
Tomato	Vegetables	100	3
Corn	Vegetables	200	3
Cabbage	Vegetables	30	4

Item	Type	Price (¥)	Floor
Pork	Meat	300	2
Beef	Meat	500	2
Tomato	Vegetables	100	3
Corn	Vegetables	200	3
Cabbage	Vegetables	30	4

Item	Price (¥)	Floor
Meat		
Pork	300	2
Beef	500	2
Vegetables		
Tomato	100	3
Corn	200	3
Cabbage	30	4

Indentation (add white spaces in TeX)



Row hierarchization. In this case, this one is also good.

```

¥begin{tabular}{@{}lll@{}} ¥toprule
  Item      & Price ($¥yen$) & Floor ¥¥ ¥midrule
  Meat      &                & ¥¥
  ~~~Pork   & 300            & 2   ¥¥
  ~~~Beef   & 500            & 2   ¥¥
  Vegetables &                & ¥¥
  ~~~Tomato & 100            & 3   ¥¥
  ~~~Corn   & 200            & 3   ¥¥
  ~~~Cabbage & 30             & 4   ¥¥
¥end{tabular}

```

Indentation  
visually-long  
to read.

Beef	Meat	500	2
Tomato	Vegetables	100	3
Corn	Vegetables	200	3
Cabbage	Vegetables	30	4

Beef	500	2	
Tomato	Vegetables	100	3
Corn	200	3	
Cabbage	30	4	

Item	Price (¥)	Floor
Meat		
Pork	300	2
Beef	500	2
Vegetables		
Tomato	100	3
Corn	200	3
Cabbage	30	4

Indentation (add white spaces in TeX)




Row hierarchization. In this case, this one is also good.


# Row hierarchization

- Row hierarchization = Deleting a row + Indentation
  - ✓ In other words, horizontally-long ↔ vertically-long
- Row hierarchization may make a table easier to read.

Item	Type	Price (¥)	Floor
Pork	Meat	300	2
Beef	Meat	500	2
Tomato	Vegetables	100	3
Corn	Vegetables	200	3
Cabbage	Vegetables	30	4



Item	Type	Price (¥)	Floor
Pork	Meat	300	2
Beef		500	2
Tomato	Vegetables	100	3
Corn		200	3
Cabbage		30	4



Item	Price (¥)	Floor
Meat		
Pork	300	2
Beef	500	2
Vegetables		
Tomato	100	3
Corn	200	3
Cabbage	30	4

- Row-grouping and row-hierarchization are just for visualization
- Semantically, one should be able to convert the table to the original "stack of rows" from easily.

## Tables

- Basics
- Row-oriented structure
- Row grouping
- Row hierarchization
- **Column hierarchization**
- Partial horizontal line  
(`cmidrule`)
- Column to row
- Flowchart

## Plots

- Basics
- Bar chart to box plot
- Control parameter
- Misc

# Column hierarchization

- Columns cannot be grouped. But can be hierarchically summarized.

- Ok. But there are multiple "error"s.
- Not only wordy, but also requires spaces.

Method	Min. error	Avg. error	Max. error
Isomap	0.23	0.44	0.92
LLE	0.10	0.73	1.82

Column  
hierarchization

Method	Error		
	Min.	Avg.	Max.
Isomap	0.23	0.44	0.92
LLE	0.10	0.73	1.82

- Hierarchize "error".
- No redundant information. Good!
- Again, this is for visualization. We can always back to the original form.

# Column hierarchization

```

\begin{tabular}{@{}l111l@{}} \toprule
& \multicolumn{3}{c}{Error} \YY \cmidrule(1){2-4}
Method & Min. & Avg. & Max. \YY \midrule
Isomap & 0.23 & 0.44 & 0.92 \YY
LLE & 0.10 & 0.73 & 1.82 \YY \bottomrule
\end{tabular}

```

hierarchically summarized.

Method	Min. error	Avg. error	Max. error
Isomap	0.23	0.44	0.92
LLE	0.10	0.73	1.82

Column  
hierarchization

\cmidrule

\multicolumn

	Error		
Method	Min.	Avg.	Max.
Isomap	0.23	0.44	0.92
LLE	0.10	0.73	1.82

- Hierarchize "error".
- No redundant information. Good!
- Again, this is for visualization. We can always back to the original form.

# Multiple column-hierarchization

- You can hierarchize columns multiple times.

With hierarchization, one needs to write a unit just once, making the table shorter

Prefecture	Temperature (°C)			Precipitation (mm)		Access		Density (persons/ $km^2$ )
	Max.	Avg.	Min.	August	December	By shinkansen	By plane	
Ishikawa	32	20	-1	179.8	304.7	✓	✓	267
Shizuoka	27	23	5	250.9	63.0	✓	✓	461
Okinawa	33	28	15	175.4	104.4		✓	643

It's ok to mix usual columns and hierarchized columns

# Multiple column-hierarchization

```
¥begin{tabular}{@{}lllllllll@{}} ¥toprule
& ¥multicolumn{3}{c}{Temperature ( $^{\circ}\text{C}$ ) } & ¥multicolumn{2}{c}{Precipitation (mm) } & ¥multicolumn{2}{c}{Access} & ¥¥ ¥cmidrule(lr){2-4} ¥cmidrule(lr){5-6} ¥cmidrule(lr){7-8}
Prefecture & Max. & Avg. & Min. & August & December & By shinkansen & By plane & Density (persons/¥km¥^2¥) ¥¥ ¥midrule
Ishikawa & 32 & 20 & -1 & 179.8 & 304.7 & ¥checkmark & ¥checkmark & 267 ¥¥
Shizuoka & 27 & 23 & 5 & 250.9 & 63.0 & ¥checkmark & ¥checkmark & 461 ¥¥
Okinawa & 33 & 28 & 15 & 175.4 & 104.4 & & ¥checkmark & 643 ¥¥ ¥bottomrule
¥end{tabular}
```

With hierarchization, one needs to write a unit just once, making the table shorter

	Temperature ( $^{\circ}\text{C}$ )			Precipitation (mm)		Access		
Prefecture	Max.	Avg.	Min.	August	December	By shinkansen	By plane	Density (persons/ $\text{km}^2$ )
Ishikawa	32	20	-1	179.8	304.7	✓	✓	267
Shizuoka	27	23	5	250.9	63.0	✓	✓	461
Okinawa	33	28	15	175.4	104.4		✓	643

It's ok to mix usual columns and hierarchized columns



## Tables

- Basics
- Row-oriented structure
- Row grouping
- Row hierarchization
- Column hierarchization
- **Partial horizontal line  
(`cmidrule`)**
- Column to row
- Flowchart

## Plots

- Basics
- Bar chart to box plot
- Control parameter
- Misc

# Partial horizontal line (cmidrule)

- Partial horizontal line (cmidrule) has two parameters.
  - ✓ Trims the ends of the line?: "l" (left) or "r" (right) or "lr" (both)
  - ✓ Range (e.g., "2-4")
- By setting these params correctly, the table becomes much beautiful.

```
¥begin{tabular}{@{}l111l@{}} ¥toprule  
  & ¥multicolumn{3}{c}{Error} ¥¥ ¥cmidrule(1){2-4}  
Method & Min. & Avg. & Max. ¥¥ ¥midrule  
Isomap & 0.23 & 0.44 & 0.92 ¥¥  
LLE    & 0.10 & 0.73 & 1.82 ¥¥ ¥bottomrule  
¥end{tabular}
```

	Error		
Method	Min.	Avg.	Max.
Isomap	0.23	0.44	0.92
LLE	0.10	0.73	1.82

1            2            3            4

# Partial horizontal line (cmidrule)

error				error				error				Error			
Method	Min.	Avg.	Max.	Method	Min.	Avg.	Max.	Method	Min.	Avg.	Max.	Method	Min.	Avg.	Max.
Isomap	0.23	0.44	0.92	Isomap	0.23	0.44	0.92	Isomap	0.23	0.44	0.92	Isomap	0.23	0.44	0.92
LLE	0.10	0.73	1.82	LLE	0.10	0.73	1.82	LLE	0.10	0.73	1.82	LLE	0.10	0.73	1.82

`cmidrule(){2-4}`      `cmidrule(l){2-4}`      `cmidrule(r){2-4}`      `cmidrule(lr){2-4}`

Trim left      Trim right      Trim left and right

Small differences... But *god is in the details...*

# Partial horizontal line (cmidrule)

w/ proper params

Prefecture	Temperature (°C)			Precipitation (mm)		Access		Density (persons/ $km^2$ )
	Max.	Avg.	Min.	August	December	By shinkansen	By plane	
Ishikawa	32	20	-1	179.8	304.7	✓	✓	267
Shizuoka	27	23	5	250.9	63.0	✓	✓	461
Okinawa	33	28	15	175.4	104.4		✓	643

w/o proper params

Prefecture	Temperature (°C)			Precipitation (mm)		Access		Density (persons/ $km^2$ )
	Max.	Avg.	Min.	August	December	By shinkansen	By plane	
Ishikawa	32	20	-1	179.8	304.7	✓	✓	267
Shizuoka	27	23	5	250.9	63.0	✓	✓	461
Okinawa	33	28	15	175.4	104.4		✓	643

## Tables

- Basics
- Row-oriented structure
- Row grouping
- Row hierarchization
- Column hierarchization
- Partial horizontal line  
(`cmidrule`)
- **Column to row**
- Flowchart

## Plots

- Basics
- Bar chart to box plot
- Control parameter
- Misc

# Column to row

- This is **not** recommended, but moving **a column to a row** often makes the table clearer. Consider the following typical table.

Method	Dataset	Runtime (ms)
k-means	MNIST	10.2
	ImageNet	45.3
	Places	57.1
Ours	MNIST	8.3
	ImageNet	39.1
	Places	82.3

- This table is good (rows are interchangeable), but...
  - ✓ If we compare methods in the same dataset, the values are far away (e.g., on MNIST, k-means (10.2) vs Ours (8.3)).
  - ✓ With more methods/datasets, the table becomes more vertical.

# Column to row


- This is **not** recommended, but moving **a column to a row** often makes the table clearer. Consider the following typical table.

	Method	Dataset	Runtime (ms)
➔	k-means	MNIST	10.2
		ImageNet	45.3
		Places	57.1
➔	Ours	MNIST	8.3
		ImageNet	39.1
		Places	82.3

- This table is good (rows are interchangeable), but...
  - ✓ If we compare methods in the same dataset, the values are far away (e.g., on MNIST, k-means (10.2) vs Ours (8.3)).
  - ✓ With more methods/datasets, the table becomes more vertical.

# Column to row

- This is **not** recommended, but moving **a column to a row** often makes the table clearer. Consider the following typical table.



Method	Dataset	Runtime (ms)
k-means	MNIST	10.2
	ImageNet	45.3
	Places	57.1
Ours	MNIST	8.3
	ImageNet	39.1
	Places	82.3

- This table is good (rows are interchangeable), but...
  - ✓ If we compare methods in the same dataset, the values are far away (e.g., on MNIST, k-means (10.2) vs Ours (8.3)).
  - ✓ **With more methods/datasets, the table becomes more vertical.**



# Column to row

Restructure the problem.

- Each row is (method, dataset, runtime) to...
- Each row is (method, runtime for MNIST, runtime for ImageNet, runtime for Places)

Method	Dataset	Runtime (ms)
k-means	MNIST	10.2
	ImageNet	45.3
	Places	57.1
Ours	MNIST	8.3
	ImageNet	39.1
	Places	82.3

Column-to-row

Method	Runtime (ms) for Dataset=MNIST	Runtime (ms) for Dataset=ImageNet	Runtime (ms) for Dataset=Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

Column hierarchization

Method	Runtime (ms)		
	Dataset=MNIST	Dataset=ImageNet	Dataset=Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

Still wordy? 🤔

# Column to row

Method	Runtime (ms)		
	Dataset=MNIST	Dataset=ImageNet	Dataset=Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

Pattern 1:  
Delete "Dataset="

Pattern 2:  
Move "Dataset"

Method	Runtime (ms)		
	MNIST	ImageNet	Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

Method	Dataset		
	MNIST	ImageNet	Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

# Column to row

Method	Runtime (ms)		
	Dataset=MNIST	Dataset=ImageNet	Dataset=Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

Pattern 1:  
Delete "Dataset="

Pattern 2:  
Move "Dataset"

Method	Runtime (ms)		
	MNIST	ImageNet	Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

Method	Dataset		
	MNIST	ImageNet	Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

- Seems clear. But there's no descriptions for "Dataset"
- This approach works only if it's acceptable not to show "Dataset"

# Column to row

Method	Runtime (ms)		
	Dataset=MNIST	Dataset=ImageNet	Dataset=Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

Pattern 1:  
Delete "Dataset="

Pattern 2:  
Move "Dataset"

Method	Runtime (ms)		
	MNIST	ImageNet	Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

Method	Dataset		
	MNIST	ImageNet	Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

- Seems perfect? But there's no description for "Runtime".
- You need to write "This table reports runtime (ms)" in the caption.
- If a table consists of only one type of value, you may clarify the table by removing the type in the header and explaining the type in the caption.

# Column to row

Method	Runtime (ms)		
	Dataset=MNIST	Dataset=ImageNet	Dataset=Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

Pattern 1:

Note that this violates "row-oriented principal". Thus personally I don't recommend this style, though.

Pattern 2:  
Move "Dataset"

Method	Runtime (ms)		
	MNIST	ImageNet	Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

Method	MNIST	Dataset	Places
		ImageNet	
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

- Seems perfect? But there's no description for "Runtime".
- You need to write "This table reports runtime (ms)" in the caption.
- If a table consists of only one type of value, you may clarify the table by removing the type in the header and explaining the type in the caption.

# Column to row


Method	Runtime (ms)		
	Dataset=MNIST	Dataset=ImageNet	Dataset=Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

Pattern 1:  
Delete "Dataset="

Pattern 2:  
Move "Dataset"

Pattern 3: Plots

Method	Runtime (ms)		
	MNIST	ImageNet	Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3



Method	Dataset		
	MNIST	ImageNet	Places
k-means	10.2	45.3	57.1
Ours	8.3	39.1	82.3

- The original cause is that there are two factors to focus (Method and Dataset).
- If there are two factors to focus, the table would be "matrix-like".
- In this case, plotting may be better (you can further improve this by box-plot!).

## Tables

- Basics
- Row-oriented structure
- Row grouping
- Row hierarchization
- Column hierarchization
- Partial horizontal line  
(`cmidrule`)
- Column to row
- **Flowchart**

## Plots

- Basics
- Bar chart to box plot
- Control parameter
- Misc

# Flowchart

- When you have trouble creating tables, then...
  1. Break up the table until it becomes the “good” table (e.g., satisfying stack-of-rows principal). It is OK if it is very vertically long.
  2. Repeat the “row grouping” for the most important column. Do “row hierarchization” as needed.
  3. Perform “column grouping” as necessary.
  4. If it still does not fit, do “move a column to a row” and then do “row hierarchization”. Delete redundant descriptions.
  5. If it still does not fit well, consider using a plot.



## Tables


- Basics
- Row-oriented structure
- Row grouping
- Row hierarchization
- Column hierarchization
- Partial horizontal line  
(`cmidrule`)
- Column to row
- Flowchart

## Plots


- **Basics**
- Bar chart to box plot
- Control parameter
- Misc

# Basics


- Three basic plots; line chart, box plot (bar chart), and scatter plot
- Try these basic plots first. In many cases, that will suffice.
- Avoid using overly complex/sophisticated plots, as reviewers may have difficulty understanding them.



Line chart




Box plot



Scatter plot

Bar chart is more natural, but a bar chart can be (and should be) converted to a box plot.



# Basics

➤ Three basic plots; line chart, box plot (bar chart), and scatter plot

➤ There exist discrete labels. (x-axis)


➤ For each label, several observations. (y-axis)

es, that will suffice.


ted plot

➤ Several 2D instances


have difficulty understanding.



Line chart



Box plot



Scatter plot

➤ One control parameter (a continuous value, not discrete labels).


➤ Compare several functions (lines) of the parameter.

# Basics

Legend

MUST put xlabel and ylabel.

Be sure to separate the measured value (marker) and the line to be complemented (do not use a polyline chart without markers).



Set different marker values and different line types for each plot.

The font size should be large! Ideally, the same size as the main text.

## Tables

- Basics
- Row-oriented structure
- Row grouping
- Row hierarchization
- Column hierarchization
- Partial horizontal line  
(`cmidrule`)
- Column to row
- Flowchart

## Plots

- Basics
- **Bar chart to box plot**
- Control parameter
- Misc

# Bar chart to box plot

- A bar chart is the first choice, however,
  - ✓ A bar chart with error bars is basically better.
  - ✓ A box plot is further better.
- Considering the following observations.

Accuracy of AlexNet

[ 0.14 0.06 0.05 0.11 0.14 0.08 0.2 0.14 0.1 0.08 0.07 0.15 0.09 0.01 0.08 0.15 0.04 0.04 0.11 0.11]

Accuracy of VGG

[ 0.06 0.08 0.07 0.06 0.07 0.03 0.04 0.02 0.03 0.06 0.01 0.04 0.04 0.05 0.04 0.03 0.04 0.09 0.09 0.05]

Accuracy of ResNet

[ 0.32 0.06 0.16 0.22 0.45 0.13 0.25 0.51 0.27 0.32 0.06 0.43 0.31 0.28 0.18 0.16 0.22 0.35 0.46 0.27]

Accuracy of DenseNet

[ 0.42 0.36 0.39 0.43 0.55 0. 0.49 0.12 0.08 0.35 0.01 0.58 0.39 0.46 -0.05 0.37 0.34 0.06 0.05 0.44]

Accuracy of EfficientNet

[ 0.1 0.21 0.17 0.12 0.28 0.25 0.11 0.01 0.09 0.12 0.21 0.3 0.11 0.23 0.18 0.21 0.05 0.12 0.07 0.1 ]

# Bar chart to box plot

- A bar chart is the first choice, however,
  - ✓ A bar chart with error bars is basically better.
  - ✓ A box plot is further better.
- Considering the following observations.

Accuracy of AlexNet

[0.14 0.06 0.05 0.11 0.14 0.08 0.2 0.14 0.1 0.08 0.07 0.15 0.08 0.01 0.08 0.15 0.04 0.04 0.11 0.11]

Accuracy of VGG

[0.06 0.08 0.07 0.06 0.07 0.03 0.04 0.06 0.06 0.06 0.06 0.06 0.06 0.06 0.06 0.06 0.06 0.06 0.06 0.06 0.06]

Accuracy of ResNet

[0.32 0.06 0.16 0.22 0.45 0.13 0.25 0.51 0.27 0.32 0.06 0.43 0.31 0.28 0.18 0.16 0.22 0.35 0.46 0.27]

Accuracy of DenseNet

[0.42 0.36 0.39 0.43 0.55 0. 0.49 0.12 0.08 0.35 0.01 0.58 0.39 0.46 -0.05 0.37 0.34 0.06 0.05 0.44]

Accuracy of EfficientNet




[0.1 0.21 0.17 0.12 0.28 0.25 0.11 0.01 0.09 0.12 0.21 0.3 0.11 0.23 0.18 0.21 0.05 0.12 0.07 0.1]

- Comparison over the discrete labels (methods). So we don't use a line chart.
- Let's consider a bar chart first.

# Bar chart to box plot

- Comparison of the average values.
- That's it. Not so much informative.

- By a box plot, we can see more information with the same space!






- With error bars, we can see the variation of values.
- More informative with the same space (area)



# Bar chart to box plot

- Comparison of the average values.
- That's it. Not so much informative.

- By a box plot, we can see more information with the same space!






- With error bars, we can see the variation of values.
- More informative with the same space (area)

# Bar chart to box plot


- Comparison of the average values.
- That's it. Not so much informative.

- By a box plot, we can see more information with the same space!




- With error bars, we can see the variation of values.
- More informative with the same space (area)

# Box plot




# Box plot




With a box plot, we can know min/max!

A weakness of the box plot: it gets messy with lots of outliers.

# Violin plot?



Can be found in the seaborn package




- A violin plot is considered as a more sophisticated visualization.
- We can visualize the distribution itself.
- I personally don't recommend a violin plot much.

# Violin plot: bad points

- A violin plot automatically generates (interpolates) the distribution.
- It is dangerous, especially when #data is not enough.

Data: [1.0, 2.0]




What is this curve? 🤔

- The reviewers may not understand the violin plot anyway.


# Violin plot: good points

- If the data is bi-modal or multi-modal, a violin plot is the only option.

Data: [10.1, 9.9, 10.1, 9.8, 10.2, 10.0, 20.1, 20.2, 20.0, 19.9, 20.1]



We can see  
two peaks 😊



??? 🤔

## Tables

- Basics
- Row-oriented structure
- Row grouping
- Row hierarchization
- Column hierarchization
- Partial horizontal line  
(`cmidrule`)
- Column to row
- Flowchart



## Plots

- Basics
- Bar chart to box plot
- **Control parameter**
- Misc




# Control parameter

- It often happens that we would like to show the two line-plots with the same control parameter.




# Control parameter

- It often happens that we would like to show the two line-plots with the same control parameter.



Accuracy. Higher is better.





Inverse of runtime. Higher is better.



Control parameter  $T$



- HNSW seems more accurate but slower.
- Can we know more information from these? 🤔

# Control parameter




# Control parameter

- Informative plot with a less space!
- Trade-off between the two curves.



**Strongly recommend plotting a control parameter for each dot!**



Depending on the context, one may evaluate the curve by AUC (area under the curve)



Runtime of NSG suddenly drops around R@1=0.7


# Control parameter

- Informative plot with a less space!
- Trade-off between the two curves.




**Better**

```
for x, y, ctrl in zip(xs, ys, ctrls):  
    plt.annotate(text=f"T={ctrl}", xy=(x, y), xytext=(x, y+5))
```




**Strongly recommend plotting a control parameter for each dot!**



Depending on the context, one may evaluate the curve by AUC (area under the curve)

Runtime of NSG suddenly drops around R@1=0.7

# Precision-recall curve has the same structure




## Tables

- Basics
- Row-oriented structure
- Row grouping
- Row hierarchization
- Column hierarchization
- Partial horizontal line  
(`cmidrule`)
- Column to row
- Flowchart

## Plots


- Basics
- Bar chart to box plot
- Control parameter
- **Misc**

# Put the grid on a logarithmic graph



Not clear yscale is log 🤔

```
plt.grid(which="both")
```





Yscale is log! 😊




# Legend


- The order of the methods in the legend should match the lines as much as possible.




# Don't use dangerous charts



Pie charts



Radar charts



3D bar charts

But recent LLM papers like radar charts.... 😞


[https://matplotlib.org/stable/gallery/pie\\_and\\_polar\\_charts/pie\\_features.html#sphx-glr-gallery-pie-and-polar-charts-pie-features-py](https://matplotlib.org/stable/gallery/pie_and_polar_charts/pie_features.html#sphx-glr-gallery-pie-and-polar-charts-pie-features-py)

[https://en.wikipedia.org/wiki/Radar\\_chart](https://en.wikipedia.org/wiki/Radar_chart)

<https://www.forbes.com/sites/naomiobbins/2012/06/07/trellis-plot-alternative-to-three-dimensional-bar-charts/?sh=7ed6126d7dab>

# Continuous parameter or discrete labels

- Don't draw a line for data of discrete labels.



- NO! 😞 What is the meaning of these lines?
- When you draw a line, ask yourself: "Is there any meaning between the dots?"

# What should we do to improve our paper?

- Do good research
  - ✓ 😐 Yes, of course! But we know it takes time.
- Improve a writing skill.
  - ✓ 😐 Yes, of course! But we know it takes time.
- Improve English (if you're a non-native English speaker).
  - ✓ 😐 Yes, of course! But we know it takes time.
- Improve equations/tables/plots.
  - ✓ 🙌 🙌 🙌 This won't take much time – study for a few days and you'll master it. **So go ahead and do it!**

# Schedule

Date (2024)	Contents	Presented by
<del>Week 1, Apr 10</del>	<del>Introduction. Review of fundamental concepts</del>	<del>Yusuke, Koya, Yuki, Jun</del>
<del>Week 2, Apr 17</del>	<del>Equations and pseudo-codes</del>	<del>Yusuke Matsui</del>
<del>Week 3, Apr 24</del>	<del>Presentation</del>	<del>Koya Narumi</del>
<del>Week 4, May 1</del>	<del>Tables and plots</del>	<del>Yusuke Matsui</del>
Week 5, May 8	Figures	Koya Narumi
Week 6, May 22	Videos	Koya Narumi
Week 7, May 29	Invited Talk 1	Dr. Yoshiaki Bando (AIST)
Week 8, June 5	Invited Talk 2	Prof. Katie Seaborn (Tokyo Tech)
Week 9, June 12	GitHub in depth	Yusuke Matsui
Week 10, June 19	Automation of research and research dissemination (Web, Cloud, CI/CD)	Jun Kato
Week 11, June 26	Research community	Jun Kato
Week 12, July 3	3DCG illustrations	Yuki Koyama
Week 13, July 10	Final presentations	-

